

SQL Query - Creating the Database (Sub-Article) (#1 of 5)

01/10/2024 12:41 pm EST

Creating the Database

The script below can be run to create the ASPNETDB shell database.

Please note at the top of the script there are two directories specified. These directories will only work with SQL Express 2016 default installation and will need to be changed based on your installation configuration.

```
USE [master]
GO

/***** Object: Database [ASPNETDB]  Script Date: 4/1/2019 10:30:33 AM *****/
CREATE DATABASE [ASPNETDB]
  CONTAINMENT = NONE
  ON PRIMARY
  ( NAME = N'ASPNETDB', FILENAME = N'C:\Program Files\Microsoft SQL Server\MSSQL14.MSSQLSERVER\MSSQL\DATA\ASPNETDB.MDF', SIZE = 4096KB , MAXSIZE = UNLIMITED, FILEGROWTH = 1024KB )
  LOG ON
  ( NAME = N'ASPNETDB_log', FILENAME = N'C:\Program Files\Microsoft SQL Server\MSSQL14.MSSQLSERVER\MSSQL\DATA\ASPNETDB_LOG.LDF', SIZE = 3456KB , MAXSIZE = 2048GB , FILEGROWTH = 10%)
GO

ALTER DATABASE [ASPNETDB] SET COMPATIBILITY_LEVEL = 100
GO

IF (1 = FULLTEXTSERVICEPROPERTY('IsFullTextInstalled'))
begin
EXEC [ASPNETDB].[dbo].[sp_fulltext_database] @action = 'enable'
end
GO

ALTER DATABASE [ASPNETDB] SET ANSI_NULL_DEFAULT OFF
GO

ALTER DATABASE [ASPNETDB] SET ANSI_NULLS OFF
GO

ALTER DATABASE [ASPNETDB] SET ANSI_PADDING OFF
GO

ALTER DATABASE [ASPNETDB] SET ANSI_WARNINGS OFF
GO

ALTER DATABASE [ASPNETDB] SET ARITHABORT OFF
GO

ALTER DATABASE [ASPNETDB] SET AUTO_CLOSE OFF
GO

ALTER DATABASE [ASPNETDB] SET AUTO_SHRINK OFF
GO
```

GO

ALTER DATABASE [ASPNETDB] SET AUTO_UPDATE_STATISTICS ON
GO

ALTER DATABASE [ASPNETDB] SET CURSOR_CLOSE_ON_COMMIT OFF
GO

ALTER DATABASE [ASPNETDB] SET CURSOR_DEFAULT GLOBAL
GO

ALTER DATABASE [ASPNETDB] SET CONCAT_NULL_YIELDS_NULL OFF
GO

ALTER DATABASE [ASPNETDB] SET NUMERIC_ROUNDABORT OFF
GO

ALTER DATABASE [ASPNETDB] SET QUOTED_IDENTIFIER OFF
GO

ALTER DATABASE [ASPNETDB] SET RECURSIVE_TRIGGERS OFF
GO

ALTER DATABASE [ASPNETDB] SET DISABLE_BROKER
GO

ALTER DATABASE [ASPNETDB] SET AUTO_UPDATE_STATISTICS_ASYNC OFF
GO

ALTER DATABASE [ASPNETDB] SET DATE_CORRELATION_OPTIMIZATION OFF
GO

ALTER DATABASE [ASPNETDB] SET TRUSTWORTHY OFF
GO

ALTER DATABASE [ASPNETDB] SET ALLOW_SNAPSHOT_ISOLATION OFF
GO

ALTER DATABASE [ASPNETDB] SET PARAMETERIZATION SIMPLE
GO

ALTER DATABASE [ASPNETDB] SET READ_COMMITTED_SNAPSHOT OFF
GO

ALTER DATABASE [ASPNETDB] SET HONOR_BROKER_PRIORITY OFF
GO

ALTER DATABASE [ASPNETDB] SET RECOVERY SIMPLE
GO

ALTER DATABASE [ASPNETDB] SET MULTI_USER
GO

ALTER DATABASE [ASPNETDB] SET PAGE_VERIFY CHECKSUM
GO

ALTER DATABASE [ASPNETDB] SET DB_CHAINING OFF
GO

ALTER DATABASE [ASPNETDB] SET FILESTREAM(NON_TRANSACTED_ACCESS = OFF)

```
GO
```

```
ALTER DATABASE [ASPNETDB] SET TARGET_RECOVERY_TIME = 0 SECONDS
```

```
GO
```

```
ALTER DATABASE [ASPNETDB] SET DELAYED_DURABILITY = DISABLED
```

```
GO
```

```
ALTER DATABASE [ASPNETDB] SET READ_WRITE
```

```
GO
```